



In the selection of our products and systems you always receive help with fire protection documentation. In our document archives are numerous approvals, test reports and research papers that are related to the **KBS SYSTEM™**. Usually you will receive fire protection documentation before purchase. We may, as a system supplier with extensive knowledge in the field, also assist you with additional technical advices. Our system is far more extensive than what are shown in published material (in the website). We estimate that approximately 90% of our overall fire protection documentation is unpublished. We have several thousand pages. The total value of this documentation is large amount and we can easily say that we as a precaution fired up tremendous amounts of money. It is natural for us to communicate our experience in passive fire protection so you can always ask us once too often, once again for a bit. It may be worthwhile for you.



©
Now only in PDF to Save the Earth

But in order to save the environment we have committed ourselves in our environmental plan to not copy and physically transporting paper documents. You may have documents in pdf as the production and shipment of paper documents generally generates carbon dioxide to the atmosphere.



KBS PIPESEAL S™ and KBS PIPESEAL M™

The **KBS PIPESEAL S™** and **KBS PIPESEAL M™** are an intumescent firestop collar device for big thermoplastic pipes. This system offers protection for all types, dimensions and installation situations up to 500 mm diameter. In **KBS PIPESEAL M™** an additional mechanical strangler device works together with the heat-expanding inner sleeve to produce an immediate smoke seal and preventing the passage of heat and gases.



©

The **KBS PIPESEAL S™** and **KBS PIPESEAL M™** has been tested and approved for use with combustible penetrants such as PVC, PVC-U, PVC-U, PVC-C, PVC-HI, PP, PPS, PE, LDPE, HDPE, ABS/ASA, ABS/ASA/PVC in through penetrations. Testreports and approvals for 2 hours fire resistance according to ISO 834. It has also been tested and approved for gypsum wall applications.



FURTHER INFO
Product No
500 mm installation
Reaction in fire



KBS pricelist 2014

KBS PIPESEAL M110 - 261 €

KBS PIPESEAL M125 - 296 €

KBS PIPESEAL M160 - 343 €

KBS PIPESEAL M200 - 446 €

KBS PIPESEAL M250 - 565 €

KBS PIPESEAL M315 - 895 €

KBS PIPESEAL M400 - 1532 €

KBS PIPESEAL S110 - 229 €

KBS PIPESEAL S125 - 257 €

KBS PIPESEAL S160 - 299 €

KBS PIPESEAL S200 - 336 €

KBS PIPESEAL S250 - 419 €

Flamastic KBS Coating - 19 €/kg





Type	Pipe Ø mm	A	B	C	D
S110	110	113	155	90	10
S125	125	128	170	100	10
S160	160	163	205	120	10
S200	200	203	245	200	15
S250	250	253	295	250	15
M110	110	113	155	115	10
M125	125	128	170	125	10
M160	160	163	205	150	10
M200	200	203	245	230	15
M250	250	253	295	285	15
M315	315	318	360	335	15
M400	400	403	475	440	15

